


Series 4, Gas range cooker, Stainless steel HGPDF0V52S



A versatile 90 cm gas range cooker designed for powerful everyday cooking.

- Full Safety: automatically cuts off the gas supply to the burner and oven if the flame is extinguished.
- Low profile stainless steel cooking surface: accessible and quick to clean.
- Closed Door Grilling: retains heat and odours within the cooker and helps reduce cooking time.
- Rotisserie: cook chicken and roasts to an evenly browned finish.
- XXL 147 litre cavity: generous space for larger meals and family-sized portions.

Included / listed accessories

- Rotary spit / rotisserie
- Baking tray
- Wire shelf grid
- Universal pan
- Coffee adapter
- Natural gas nozzle set

Appliance type	Free-standing gas range cooker
Series	Series 4
Colour / finish	Stainless steel / semi inox
Cooktop	5 gas burners
Oven	Gas oven + gas grill
Oven cavity	147 l (XXL cavity)
Heating / combination modes	5
Controls	Mechanical knob control
Safety	Full Safety / flame-failure protection
Cooking surface	Low profile stainless steel
Grate design	Continuous grate
Rotisserie	Yes
Dimensions	90 x 60 x 85 cm (W x D x H)
EAN / product code	4242005295203



EAN 4242005295203

Series 4, Gas range cooker, Stainless steel HGPDF0V52S

A versatile 90 cm gas range cooker designed for powerful everyday cooking.

General

- Freestanding 90 cm cooker in stainless steel / semi inox finish.
- Knob control interface with mechanical operation.
- Continuous grate design makes it easier to move heavy cookware across the hob.
- Low profile stainless steel cooking surface is accessible and easy to clean.

Hob / Burner configuration

- 5 gas burners.
- 1 high-output burner: 3.0 kW at G20/20 mbar.
- 2 standard-output burners: 1.75 kW each at G20/20 mbar.
- 1 economy burner: 1.0 kW at G20/20 mbar.
- 1 wok burner: 4.0 kW at G20/20 mbar.
- Automatic ignition and flame-safety system.

Oven & grilling

- XXL 147 litre cavity for larger dishes and family-sized portions.
- Gas oven and gas grill with 5 heating / combination modes.
- Closed Door Grilling retains heat and odours within the cooker.
- Rotisserie supplied for roasting and browning whole poultry and other foods.

Comfort & cleaning

- Easy-to-clean enamelled cooking / oven areas noted in retailer listings.
- Double-glass oven door for improved heat containment and easier cleaning.
- Removable glass oven door and adjustable feet are listed by retailers.

Technical gas data - G20 / 20 mbar

Burner type	Power	Max. consumption
High-output burner	3.0 kW	285 l/h
Standard-output burner	1.75 kW	167 l/h
Economy burner	1.0 kW	95 l/h
Wok burner	4.0 kW	381 l/h
Oven burner	4.2 kW	399 l/h
Grill burner	3.1 kW	295 l/h

Liquid gas - G30 / 28-30 mbar

High-output burner	3.0 kW	218 g/h
Standard-output burner	1.75 kW	127 g/h
Economy burner	1.0 kW	73 g/h
Wok burner	4.0 kW	291 g/h
Oven burner	4.2 kW	306 g/h
Grill burner	3.1 kW	226 g/h

Key performance / usage notes


- Full Safety cuts off the gas supply to the burner and oven if the flame is extinguished.
- Closed Door Grilling keeps heat and odours inside the cooker.
- 147 litre XXL cavity supports larger roasting and baking loads.
- Rotisserie function is intended for evenly browned roasting results.
- Bosch manual specifies conversion between listed natural-gas and LPG nozzle settings.

Dimensions and installation

- Dimensions: 90 x 60 x 85 cm (W x D x H).
- Product is designed for freestanding installation.
- Gas connection side can be configured left or right according to installation requirements and local regulations.
- Gas installation and conversion should be carried out by a trained professional.

Series 4, Gas range cooker, Stainless steel HGPDF0V52S

Measurements in mm



Product specification summary

Model	HGPDF0V52S
Series	Series 4
Type	Freestanding gas range cooker
Finish	Stainless steel / semi inox
Hob	5 gas burners
Oven cavity	147 l XXL
Cooking modes	5 heating / combination modes
Gas options	Natural gas G20 and LPG G30 variants per manual
Dimensions (W x D x H)	900 x 600 x 850 mm
EAN	4242005295203

Important technical note

The Bosch manual lists separate nozzle and gas-consumption values for natural gas and LPG configurations. Confirm the rating plate, local gas type and pressure before installation or conversion. Gas connections and conversions must be handled by qualified personnel.