

WQG2410XGC

Series 4 heat pump tumble dryer, 9 kg

Product highlights	Product description
• Heat pump technology for efficient drying • AutoDry moisture sensing • SensitiveDrying System for gentle fabric care • AntiVibration Design for stability and quietness • Anti-crease function up to 120 minutes • LED display with remaining time and delay start	The Bosch WQG2410XGC is a freestanding 9 kg heat pump tumble dryer designed for efficient and gentle drying. Moisture sensors help prevent over-drying, while the SensitiveDrying System supports careful treatment of textiles.



Appliance type	Freestanding heat pump tumble dryer
Loading capacity	9.0 kg
Colour / finish	Silver inox / graphite
Door hinge	Right
Drying technology	Heat pump
Energy efficiency class	A++*
Noise level	64 dB(A)
Drum volume	112 l
Dimensions (H x W x D)	842 x 598 x 613 mm
Depth incl. door	648 mm
Depth with door open	1096 mm
Net weight	Approx. 50 kg
Connection rating	625 W
Voltage / frequency	220–240 V / 50 Hz
Fuse protection	10 A
Power cord length	145 cm
Home Connect	Not available

*Energy label classification and technical values can vary by regional market. Confirm the current Bosch regional specification before final quotation or installation.

WQG2410XGC

Features, programmes and convenience

Feature	Description
Heat Pump Technology	Reuses warm air to dry laundry efficiently at lower temperatures.
AutoDry	Moisture sensors monitor the load and stop drying when the selected dryness level is reached.
SensitiveDrying System	Stainless-steel drum and soft-design paddles support gentle textile care.
AntiVibration Design	Improves stability and helps reduce vibration and operating noise.
Anti-crease	Laundry is periodically loosened after the cycle for up to 120 minutes.
LED Display	Shows remaining time, programme status, options and delay-start information.
Easy-clean filter	Supports routine cleaning and maintenance.
Condensate drain set	Allows direct drainage of condensed water where installation permits.
Childproof lock	Helps prevent unintended operation.
End-of-cycle buzzer	Audible signal indicates the end of the drying programme.

Programmes

Cotton • Cotton Eco • Delicates • Down wear • Duvet • Mixed Load • Shirts/Blouses • Sportswear • Super Quick 40 • Synthetic • Towels • Wool Finish • Timed Programme Cold • Timed Programme Warm

Options and controls

Low Heat • Signal • Less Ironing • Delay start / Ready In • Fully electronic programme selector • Sensor-drying and timed programmes

Installation notes

Freestanding installation. Provide adequate ventilation and a level, stable floor. If using direct condensate drainage, follow the installation manual and ensure the drain route is suitable.

WQG2410XGC

Installation dimensions and technical reference

Measurement	Value
Appliance height	842 mm / 84.2 cm
Appliance width	598 mm / 59.8 cm
Appliance depth	613 mm / 61.3 cm
Depth with door closed	648 mm / 64.8 cm
Depth with door open (90°)	1096 mm / 109.6 cm
Slide-under height	850 mm / 85 cm
Maximum load	9.0 kg
Drum volume	112 l
Net weight	Approx. 50.0 kg
Power rating	625 W
Mains voltage	220–240 V, 50 Hz
Minimum installation protection	10 A
Power cord length	145 cm

Dimension reference

Front view	Side view / clearance
Width: 598 mm Height: 842 mm Door and control panel shown for reference.	Depth: 613 mm Door closed: 648 mm Door open: 1096 mm Allow sufficient space for door opening and ventilation.

Important: This datasheet is prepared for product information and sales reference. Always confirm the latest Bosch regional product documentation, energy label and installation manual before final quotation or installation.